

Endovet® Roosters
Reg. Key S.A.G.A.R.P.A. Q-0524-100*
FOR VETERINARY USE
Ivermectin-Praziquantel-Fenbendazole
Broad-spectrum oral anthelmintic
Aid against ectoparasites for fight birds.

DRUG DESCRIPTION

Each tablet contains

Ivermectina	1 mg
Praziquantel	25 mg
Fenbendazole	40 mg
Excipient c.b.p.	1 tablet

Endovet® Roosters is a Broad-spectrum oral anthelmintic aid against ectoparasites for fight birds. Its active components are ivermectin (which belongs to the avermectins group), praziquantel (belongs to isoquinolines) and fenbendazole which belongs to the benzimidazole group

Endovet® Roosters is recommended for treating nematodes and cestodes, it's an aid in controlling ectoparasites such as hematophagous lice and acari and acari that cause scabies in fight birds.

Endovet® has a high effect against young and adult phases of cestodes. It has an ovicidal, larvicidal and adulticidal effect against nematodes.

Endovet® Roosters It's and anthelmintic treatment effective with only one dose.

Endovet® Roosters is easy to prescribe and the size of the tablet is ideal for bird's beak. Tablet can be easily split for smaller doses. Effectiveness proved during field tests 100% reliable against nematodes and cestodes.

Endovet® Roosters aid in controlling leg scabies or knemidocoptes (*Knemidocoptes pilae*), thicks such as *Argas persicus*, acari *Megninia columbae*, lice *Columbicola columbae*, hematophagous mite *Ornithonyssus sylviarum*.

DRUG USE

It is recommended for treating nematodes and cestodes, it's an aid in controlling ectoparasites such as hematophagous lice and acari and acari that cause scabies in fight birds.

DOSAGE

1 tablet per 2.5 kg, one dose only

Frequency: For treating nematodes and cestodes in massive number repeat dose 14 to 20 days after first dose. For trematodes and capillaria treat for 3 days As aid in controlling ectoparasites dose can be repeated every 7 days no more than 4 times.

ROUTE OF ADMINISTRATION

Oral, straight in the beak

DRUG WARNINGS

Do not use in animals hypersensitive to any of the components. Do not mix untreated infected birds with those that are undergoing treatment.

WITHDRAWAL PERIOD

Do not use product within those 28 days previous to sacrifice in animals destined for human consumption. Do not use in egg breeder birds Keep this product in a cool and dry place protected from light at a temperature between 15° and 30°C Due to aquatic organisms that may be affected by the product, empty containers and any residue must be disposed of by burying or incinerating.

Keep out of reach of children and pets.

Consult a veterinarian Prescription Only Medicine – Veterinarian (POM-V category)

PRESENTATION

Box with 20 tablets Exhibitor with 25 packets of 4 tablets each

REGISTRATION KEYS

Costa Rica MAG MX7-42-40-2870

El Salvador VE2013094821

Honduras PF-3584

Nicaragua 6742

Panama RF-2890-04

Dominican Rep. 6123

MADE IN MEXICO BY: RIVERFARMA, S.A. DE C.V. Prol. Calz. de La Viga No. 1949, Col. Prado Churubusco, Del. Coyoacán. C.P.04230, México, D.F. E-mail: riverfarma@riverfarma.com.mx
Web: www.riverfarma.com.mx Tel. 6389-6687, 6389-6688, 6389-6689. Within Mexico Toll Free: 01-800-505-7777